




NTN-SNR BEARING RULMENTI S.R.L.



GEC 380 TXA-2RS Bearing 2D drawings and 3D CAD models

380 mm x 520 mm x 190 mm skf GEC 380
TXA-2RS Radial spherical plain bearings

Bearing No. GEC 380 TXA-2RS

Size	520x380x190 mm
Bore Diameter	520 mm
Outer Diameter	380 mm
Width	190 mm
d	380 mm
D	520 mm
B	190 mm
C	160 mm
	4 °
d _k	450 mm
r ₁ - min.	1.5 mm
r ₂ - min.	4 mm
d _a - min.	400 mm
d _a - max.	407 mm
D _a - min.	445 mm
D _a - max.	490 mm
r _a - max.	1.5 mm
r _b - max.	4 mm
Basic dynamic load rating - C	19300 kN
Basic static load rating - C ₀	32500 kN
Specific factor dinamic load - K	300 N/mm ²
Specific factor static load - K ₀	500 N/mm ²
Size	380x520x190 mm



NTN-SNR BEARING RULMENTI S.R.L.

Bore Diameter	380 mm
Outer Diameter	520 mm
Width	190 mm
d	380 mm
D	520 mm
B	190 mm
C	160 mm
	4 °
d _k	450 mm
r ₁ - min.	1.5 mm
r ₂ - min.	4 mm
d _a - min.	400 mm
d _a - max.	407 mm
D _a - min.	445 mm
D _a - max.	490 mm
r _a - max.	1.5 mm
r _b - max.	4 mm
Basic dynamic load rating - C	19300 kN
Basic static load rating - C ₀	32500 kN
Specific factor dinamic load - K	300 N/mm ²
Specific factor static load - K ₀	500 N/mm ²
Category	Spherical Plain Bearings - Radial
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	137.5
Product Group	B04264
Self Aligning	Yes
Rolling Element	Spherical Plain



NTN-SNR BEARING RULMENTI S.R.L.

Material - Outer Member	Steel
Material - Ball	Steel
Material - Liner	Teflon
Relubricatable	No
Enclosure	2 Seals
Other Features	2 Piece Axially Split Outer Ring Chrome Plated Ball Self Lubricating Double Lip Seals
Long Description	380MM Bore; 160MM Housing Width; 520MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel Ball; Teflon Liner; 190MM Overall Width; Not Relubricatable
Inch - Metric	Metric
Category	Plain Bearings Spherical Radial
UNSPSC	31171515
Harmonized Tariff Code	8483.30.80.70
Noun	Bearing
Keyword 3	Spherical
Keyword String	Plain Spherical Radial
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	GEC 380 TXA-2RS
Weight / LBS	275.578
Outside Diameter	20.472 Inch 520 Millimeter
Overall Width	7.48 Inch 190 Millimeter
Bore	14.961 Inch 380 Millimeter
Housing Width	6.299 Inch 160 Millimeter
Lubricant	Maintenance free – dry lubrication
Design (sliding contact surface combination)	Steel/PTFE fabric
Sealing solution	Double-lip seals



NTN-SNR BEARING RULMENTI S.R.L.

	4 °
d_k	450 mm
r_1 min.	1.5 mm
r_2 min.	4 mm
d_a min.	400 mm
d_a max.	407 mm
D_a min.	445 mm
D_a max.	490 mm
r_a max.	1.5 mm
r_b max.	4 mm
Basic dynamic load rating C	19300 kN
Basic static load rating C_0	32500 kN
Specific dynamic load factor K	300 N/mm ²
Specific static load factor K_0	500 N/mm ²
Mass plain bearing	125 kg